1301:7-9-09 SENSITIVE AREAS

(A) Purpose and scope.

For the purpose of prescribing rules pursuant to division (A)(2) of section 3737.88 of the Revised Code, the fire marshal hereby adopts this rule to designate areas of this state as being sensitive for the protection of human health and the environment. This rule is adopted by the fire marshal in accordance with Chapter 119. of the Revised Code and shall not be considered part of the "Ohio Fire Code."

- (B) An area is defined as a sensitive area if, upon the effective date of this rule, the area meets one or more of the following criteria:
 - (1) The following areas associated with an aquifer declared by the federal government under the Safe Drinking Water Act (42 U.S.C.A. 300f et seq.):
 - (a) Areas on Catawba Island in Ottawa county;
 - (b) Areas in Guernsey county located within the following described boundaries:

TOWNSHIP SECTION(S)

T8N-R9W 4, 5, 6, 7, 8, 9

"R" stands for Range. "T" stands for Township. "N" stands for North. "W" stands for West.

- (c) Areas associated with the buried valley aquifer system of the Great Miami/Little Miami River Basins of Southwestern Ohio petitioned for by the Miami Valley Regional Planning Commission of Dayton, Ohio as determined by the U.S. environmental protection agency at 53 Fed. Reg 86, 15876 (1988), located within the following described boundaries:
 - (i) Areas in Champaign county located within the following described boundaries:

TOWNSHIP	SECTION(S)
R10T4	6, 12
R10T5	6, 12, 18, 30, 36

R10T6	24, 30, 36
R11T4	1, 2, 3, 4, 5, 6, 7 8, 9, 10, 11, 12, 16 17, 18, 22, 23, 29 30, 36
R11T5	1, 2, 3, 4, 5, 6, 7, 13, 18, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36
R11T6	19, 31, 32, 33, 34, 35, 36
R12T4	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 24, 25, 31
R12T5	1, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 29, 30, 31, 32, 33, 34, 35, 36
R13T4	1, 2, 3, 7, 8, 9, 13, 14, 15, 19, 20, 21, 25, 26, 27
R13T5	19, 20, 25, 26, 31, 32

"R" stands for Range. "T" stands for Township.

(ii) Areas in Clark county located within the following described boundaries:

TOWNSHIP	SECTION(S)
R8T3	6, 12, 17, 18, 23, 24, 29, 30, 36
R9T3	1, 2, 7, 8, 13, 14, 19, 20, 21, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36
R9T4	6, 10, 11, 12, 16, 17, 21, 22, 27, 31, 32, 33
R9T5	12, 18, 21, 22, 23, 24, 28, 29, 30

Page 2				1301:7-9-09	
	R10T4 R10T5	1, 2, 3, 4, 5, 7, 8 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 13, 14, 15, 17, 29, 33, 34, 35	1391, 1965, 2 2243, 2244, 2 2312, 2358, 2 2426, 2435, 2 3096, 3576, 3	81, 1295, 1297, 1378, 233, 2235, 2238, 2241, 263, 2264, 2267, 2272, 359, 2383, 2424, 2425, 474, 2475, 2565, 2566, 583, 3610, 3908, 3916,	
	R10T6	23, 28, 29, 33, 34, 35	4871, 9474, 10 (iv) Areas in 1	Logan county located	
	"R" stands for l for Township.	Range. "T" stands	boundaries:	following described	2 - 2 - 2 2 - 2 - 3
	(iii) Areas in located within described bound		TOWNSHIP R13T4	SECTION(S) 4, 5, 10, 16	
	TOWNSHIP	SECTION(S)	R13T5	17, 21, 22, 23, 27, 28, 29, 33, 34, 35, 36	
	R5T4	17, 18, 22, 23, 24, 30	"R" stands for for Township.	Range. "T" stands	
	R6T2 R6T3	1, 2 18, 24, 25, 26, 27,	SURVEY TR		
	R7T2	28, 29, 30, 31, 32	4493, 4525, 9 10719, 12099	9878, 10109, 10718,	
	R7T3	1, 2, 6, 8, 12 2, 3, 7, 8, 9, 10, 11, 13, 14, 15, 16,		fiami county located ollowing described	
		17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 29, 30, 31, 32, 36	TOWNSHIP	SECTION(S)	
	R7T4	18, 23, 24, 28, 29, 33, 34	R9T1	6 3, 4, 5, 6, 10, 11,	
	R8T2	1, 2, 3, 7, 8		12, 17, 18, 23, 24, 30, 31, 32, 33, 34, 35, 36	
		10, 13, 14, 15, 16, 19, 20, 21, 22, 25, 26, 27, 28, 31, 32, 33, 34	R10T1	1, 2, 3, 4, 7, 8, 9, 10, 11, 12, 17, 18, 23, 24	
		13	R10T2	19, 25, 26, 31, 32, 33	
	"R" stands for Range. for Township.		R11T1	13, 17, 18, 19, 20, 23, 24, 26, 27	
	386, 387, 389, 39	0, 417, 429, 432,	R12T1	19, 20, 25, 26, 27, 31, 32, 33	
	435, 438, 548, 57 598, 603, 616, 87	(1, 574, 576, 577, 10, 904, 925, 929,	T7N-R4E	1, 2, 3, 10	

1301:7-9-09					Page 3
	T6N-R5E	12, 13			27, 28, 29, 30, 31, 32, 33, 34, 35, 36
	T4N-R6E	3, 4, 5, 6, 7, 10, 11, 14, 23, 24, 25,		T2N-R4E	26, 35, 36
		26, 35, 36		T2N-R5E	2, 3, 7, 10, 15, 17, 18, 19, 20, 22,
	T8N-R4E	36			23, 26, 27, 28, 29, 30
	T7N-R5E	17, 18, 19, 20, 28, 29, 30, 31, 32, 33	No. Hely the Street	T3N-R5E	6, 7, 16, 17, 21, 24, 25, 26, 27, 28
	T5N-R6E	5, 8, 9, 16, 17, 20, 21, 22, 27, 28, 29,	. Krigipas		24, 25, 26, 27, 28, 32, 33, 34, 35, 36
	T6N-R6E	31, 32, 33, 34 32		T4N-R5E	9, 10, 13, 14, 15, 16, 23, 24, 25
	T7N-R6E	31, 32		T5N-R5E	2, 3, 10, 11, 14, 15, 22, 23, 24, 25, 26, 36
	"R" stands for for Township. North. "E" sta	Range. "T" stands . "N" stands for . nds for East.		T1N-R6E	3, 4, 5, 8, 17, 18, 19, 30
	(vi) Areas in N located within described bour	Montgomery county in the following indaries:		T2N-R6E	1, 2, 4, 5, 6, 8, 9, 11, 12, 13, 14, 15, 16, 19, 21, 22, 27, 28, 20, 20, 21, 22, 27
	TOWNSHIP	SECTION(S)			28, 29, 30, 31, 32, 33, 34
	R5T2	28, 29, 34, 35, 36		T3N-R6E	1, 2, 11, 13, 14, 23, 24, 26, 30, 31,
	R6T1	3, 4, 5, 9, 10, 11, 12, 14, 15, 16, 17, 18, 21, 22, 25, 26,		"D" stands for 1	32, 35
		27, 28, 31, 32		for Township. North. "E" stan	
	R7T1	2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14			Preble county
	R7T2	13, 14, 17, 18, 20, 21, 22, 23, 24, 27, 28, 29, 30, 32, 33,		TOWNSHIP	SECTION(S)
		34, 35, 36		T6N-R2E	3, 9, 10, 15, 16
	R8T1	2, 3, 4, 5		T4N-R3E	1, 2
•	R8T2	13, 19, 25, 31, 32, 33, 34, 35, 36		T5N-R3E	2, 3, 4, 5, 9, 10, 11, 15, 22, 25, 26, 27, 34, 35, 36
	T3N-R4E	1, 3, 4, 5, 10, 11, 12, 13, 14, 23, 24		T6N-R3E	3, 4, 32, 34
	T4N-R4E	1, 12, 17, 18, 19, 20, 21, 23, 25, 26,		T7N-R3E	21, 22, 27, 28, 33, 34

"R" stands for	Range. "T" stands		boundaries:	
	. "N" stands for	en e	TOWNSHIP	SECTION(S)
	in Shelby county		R2T1	3, 4, 5, 6, 8, 9, 10, 11, 14, 15, 20
described bour	in the following ndaries:		R3T1	1, 2, 3
TOWNSHIP	SECTION(S)		R2T2	3, 4, 5, 8, 9, 10, 11, 12, 14, 15, 16,
T9N-R5E	1, 2, 3, 9, 10, 11,			17, 18, 21, 22, 23,
	12, 13	· 		24, 27, 28, 29, 30,
TOTAL DATE	E Z 7 0 17 10			33, 34, 35, 36
T7N-R6E	5, 6, 7, 8, 17, 18, 19, 20, 29, 30		R3T2	22, 26, 27, 28, 31, 32, 33, 34
T8N-R6E	31, 32			
			R3T3	12
	Range. "T" stands . "N" stands for ands for East.		R4T1	1, 2, 3
(ix) Areas in located within described bour	n Warren county in the following indaries:	•	R4T2	7, 8, 12, 13, 14, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 34
TOWNSHIP	SECTION(S)		TONE TOT	13 14 15 23 23
R5T1	1		T3N-R2E	13, 14, 15, 22, 23, 24, 25, 26, 27, 28, 32, 33, 34, 35, 36
R5T2	27, 31, 32, 33			,, - ,,
T1N-R5E	3, 4, 5		T1N-R3E	5, 6, 7, 8, 18
III-NJL	J, 4, J		T5N-R1E	2, 11, 14, 23, 24,
T2N-R5E	26, 27, 28, 29, 30, 31, 32, 33, 34			25, 36
			T4N-R2E	1, 12
	Range. "T" stands "N" stands for		T5N-R2E	25, 30, 31
1 TOTELL. ALS SEEL	nds for Last.		T2N-R3E	1, 2, 3, 4, 5, 6, 7,
(d) Areas associated portion of the bur system of the Great M River Basins of S	ied valley aquifer Miami/Little Miami outhwestern Ohio			8, 9, 10, 11, 12, 13, 14, 15, 16, 20, 21, 22, 23, 24, 28, 29, 32
petitioned for by the				
Indiana Regions Governments of Ci	incinnati, Ohio as		T3N-R3E	29, 30, 31, 32, 33, 34, 36
determined by the Uprotection agency at 25670 (1988), loc	53 Fed. Reg. 131,		T1N-R4E	4, 5, 6, 7, 8, 18
following described to (i) Areas in Bu			T2N-R4E	1, 2, 10, 11, 12, 13, 14, 15, 21, 22, 27, 28, 29, 30, 31,
within the 10	mowing described			32, 33

	그 글래픽 내렸다면 하는 말을 살았다.		45 47 40 40 00
	Range. "T" stands "N" stands for		16, 17, 18, 19, 30, 31
North. "E" sta		FR1T1	5, 6
	Clermont county in the following	FR1T2	35, 36
described bour		FR1T4	12, 17, 18, 23, 24, 29, 30, 35
SURVEY TR		FR1T5	23, 24, 29, 30
430, 590, 631, 1767, 2195, 484	1017, 1545, 1748, 48	FR2T1	5, 6, 11, 12, 17,
located withi	Hamilton county in the following		21, 22, 23, 24, 27, 31, 32, 33
described bour	ndaries:	FR2T3	1, 4, 5, 6, 10, 11, 12, 13, 16, 17, 18,
TOWNSHIP	SECTION(S)		19, 20, 21, 22, 23, 25, 26, 27, 28
R1T1	1, 2, 3, 4, 7, 8, 9	FR2T4	3, 9, 13, 14, 15,
R1T2	28, 29, 30, 34	* **** *	16, 19, 20, 21, 22,
R1T3	1, 2, 3, 6, 7, 8, 9, 12		23, 25, 28, 29, 31, 34, 35, 36
R1T4	24, 27, 28, 29, 30, 31, 32, 33, 34, 35,	FR2T5	18, 22, 23, 24, 28, 33, 34
R1T5	36 13, 14, 17, 18, 19,	for Township. North. "E" star	Range. "T" stands "N" stands for nds for East. "FR"
	23, 26, 27, 28	stands for Fract	tional Range.
R2T1	19, 25	SURVEY TRA	CT(S)
R2T2	1, 7	395, 410, 427, 5 1723, 1769, 1775	35, 536, 552, 1575, 5, 2204
R2T3	19, 25, 31		Warren county
R2T4	13		the following
T1N-R1E	1, 2, 3, 4, 5, 8, 9, 10, 11, 12, 15, 16, 17, 20, 21, 22, 27,	TOWNSHIP	SECTION(S)
	28, 29, 30, 31, 32	R2T4	10, 11, 12, 16, 17
T1N-R2E	6, 7	R3T3	4, 5, 6
T2N-R1E	1, 2, 3, 7, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 28, 29, 30, 32, 33, 36	R3T4	1, 2, 5, 6, 7, 8, 10, 11, 12, 16, 17, 21, 22, 27, 28, 33, 34, 35, 36
T2N-R2E	3, 4, 5, 6, 7, 8, 9,	R3T5	7, 13, 19, 25, 31

R4T2	1, 2
R4T3	31
R4T4	4, 5, 6, 10, 11
R5T1	n a n maan ka ga
R5T2	27, 31, 32, 33
R5T3	1
R5T4	20, 21, 25, 26, 31
T1N-R5E	3, 4, 5, 6, 7, 8
T2N-R5E	26, 27, 28, 29, 30, 31, 32, 33, 34

"R" stands for Range. "T" stands for Township. "N" stands for North. "E" stands for East.

SURVEY TRACT(S)

399, 421, 520, 598, 631, 791, 1494, 1500, 1546, 1547, 1548, 2464, 2527

- (2) The area is located within fifty horizontal feet of a private water supply well or developed spring not located on the same site as the UST system;
- (3) The area is located within one of the following and is not located on the same site as the UST system:
 - (a) One hundred horizontal feet of a water supply well designated by Ohio environmental protection agency to be a public water supply and which has a net production rate of less than or equal to ten thousand gallons per day; or
 - (b) Two hundred horizontal feet of a water supply designated by Ohio environmental protection agency to be a public water supply and which has a net production rate of greater than ten thousand gallons per day to less than or equal to fifty thousand gallons per day; or
 - (c) Three hundred horizontal feet of a water supply designated by Ohio environmental protection agency to be a

public water supply and which has a net production rate of greater than fifty thousand gallons per day.

- (4) The area is located within a half-circle shaped area one thousand feet upstream of a public water supply surface water intake where the base line of the half-circle is perpendicular to the stream at the intake and has a diameter of two thousand feet, and where the midpoint of the base line is the intake, and where the radius of the half-circle is one thousand feet, unless the owner or operator demonstrates to the bureau chief that the UST system is located or will be located in a surface water drainage area that is actually downstream of the intake.
- (5) The area is located within two hundred horizontal feet of a lake or reservoir. To be considered a lake or reservoir for purposes of this paragraph the average surface area of the body of water must be a minimum of five acres.
- (6) The area is located within one hundred horizonal feet of a man-made underground structure, tunnel or cavity used primarily for pedestrian traffic or passenger-carrying vehicles:
- (C) An area is defined as a sensitive area if, on any date following the effective date of this rule, the area meets any of the criteria listed in paragraphs (B) to (B)(6) of this rule.

Effective: September 1, 1992

Promulgated under: 119.03 Rule authorized by: 3737.88 Rule amplifies: 3737.88

Prior Effective Date: New Rule

Printed:

9/1/92



